

ZESTAWIENIE STALI

Nr pręta	Ø	Stal	Długość pręta	Liczba			Długość łączna					
				prętów na 1 poz.	pozycji	prętów łącznie	34GS Ø10	B500SP			St3SX-b	
	[mm]		[m]	[szt]			[m]					
B201												
1	12	B500SP	4,03	4	1	4			16,12			
2	12	B500SP	4,03	4	1	4			16,12			
3	6	St3SX-b	0,91	21	1	21					19,11	
B202												
1	12	B500SP	1,31	4	1	4			5,24			
2	12	B500SP	1,31	4	1	4			5,24			
3	6	St3SX-b	0,91	7	1	7					6,37	
B203												
1	12	B500SP	1,83	4	1	4			7,32			
2	12	B500SP	1,83	4	1	4			7,32			
3	6	St3SX-b	1,45	10	1	10					14,50	
B204												
1	12	B500SP	1,95	4	2	8			15,60			
2	12	B500SP	1,95	4	2	8			15,60			
3	6	St3SX-b	1,05	9	2	18					18,90	
B205												
1	12	B500SP	1,45	4	1	4			5,80			
2	12	B500SP	1,45	4	1	4			5,80			
3	6	St3SX-b	0,91	6	1	6					5,46	
B206												
1	12	B500SP	3,83	4	1	4			15,32			
2	12	B500SP	3,83	4	1	4			15,32			
3	6	St3SX-b	1,45	22	1	22					31,90	
B207												
1	12	B500SP	3,73	4	1	4			14,92			
2	12	B500SP	3,73	4	1	4			14,92			
3	6	St3SX-b	1,45	19	1	19					27,55	
B208												
1	16	B500SP	1,83	4	1	4				7,32		
2	12	B500SP	1,83	4	1	4			7,32			
3	6	St3SX-b	1,45	8	1	8					11,60	
B209												
1	12	B500SP	2,11	4	1	4			8,44			
2	12	B500SP	2,11	4	1	4			8,44			
3	6	St3SX-b	1,65	9	1	9					14,85	
B210												
1	12	B500SP	1,75	4	1	4			7,00			
2	12	B500SP	1,75	4	1	4			7,00			
3	6	St3SX-b	0,91	8	1	8					7,28	
B211												
1	12	B500SP	4,39	4	2	8			35,12			
2	12	B500SP	4,39	4	2	8			35,12			
3	6	St3SX-b	1,65	22	2	44					72,60	
B212												
1	12	B500SP	2,78	4	1	4			11,12			
2	12	B500SP	2,78	4	1	4			11,12			
3	6	St3SX-b	0,91	14	1	14					12,74	
B301												
1	16	B500SP	6,21	8	1	8				49,68		
2	16	B500SP	6,82	8	1	8				54,56		
3	6	St3SX-b	1,17	66	1	66					77,22	
B302												
1	16	B500SP	15,19	4	1	4				60,76		
2	16	B500SP	8,20	8	1	8				65,60		
3	6	St3SX-b	1,17	83	1	83					97,11	
4	16	B500SP	9,22	4	1	4				36,88		
B303												
1	16	B500SP	3,49	4	2	8				27,92		
2	12	B500SP	3,49	4	2	8			27,92			
3	6	St3SX-b	1,41	14	2	28					39,48	
B304												
1	16	B500SP	7,09	6	1	6				42,54		
2	12	B500SP	7,41	4	1	4			29,64			
3	6	St3SX-b	1,28	76	1	76					97,28	
B305												
1	16	B500SP	6,62	6	1	6				39,72		
2	16	B500SP	7,36	12	1	12				88,32		
3	6	St3SX-b	1,04	136	1	136					141,44	
4	16	B500SP	6,91	6	1	6				41,46		
B306												
1	12	B500SP	1,95	4	1	4			7,80			
2	12	B500SP	2,27	4	1	4			9,08			
3	6	St3SX-b	1,11	9	1	9					9,99	
B307												
1	12	B500SP	3,51	4	1	4			14,04			
2	12	B500SP	3,83	4	1	4			15,32			
3	6	St3SX-b	1,17	17	1	17					19,89	
B308												
1	12	B500SP	1,35	4	1	4			5,40			
2	12	B500SP	1,67	4	1	4			6,68			
3	6	St3SX-b	1,17	6	1	6					7,02	
B309												
1	12	B500SP	2,79	4	1	4			11,16			
2	12	B500SP	3,11	4	1	4			12,44			
3	6	St3SX-b	1,17	12	1	12					14,04	
B310												
1	16	B500SP	5,14	6	1	6				30,84		
2	12	B500SP	5,46	4	1	4			21,84			
3	6	St3SX-b	1,77	27	1	27					47,79	
B311												
1	16	B500SP	3,80	6	1	6				21,60		
2	12	B500SP	3,92	4	1	4			15,68			
3	6	St3SX-b	1,77	18	1	18					31,86	
B312												
1	12	B500SP	5,43	4	1	4			21,72			
2	12	B500SP	5,75	4	1	4			23,00			
3	6	St3SX-b	1,21	28	1	28					33,88	

ZESTAWIENIE STALI

Nr pręta	Ø	Stal	Długość pręta	Liczba			Długość łączna					
				prętów na 1 poz.	pozycji	prętów łącznie	34GS Ø10	Ø10	Ø12	Ø16	Ø20	Ø6
-	[mm]	-	[m]	[szt]			[m]					
B313												
1	16	B500SP	4,79	6	1	6				28,74		
2	12	B500SP	5,11	4	1	4			20,44			
3	6	St3SX-b	2,09	18	1	18					37,62	
4	12	B500SP	4,79	4	1	4			19,16			
B314												
1	16	B500SP	7,99	6	1	6				47,94		
2	12	B500SP	8,31	4	1	4			33,24			
3	6	St3SX-b	2,09	32	1	32					66,88	
B315												
1	16	B500SP	6,79	6	1	6				40,74		
2	12	B500SP	7,11	4	1	4			28,44			
3	6	St3SX-b	1,85	36	1	36					66,60	
B316												
1	12	B500SP	4,09	4	1	4			16,36			
2	12	B500SP	4,35	4	1	4			17,40			
3	6	St3SX-b	1,17	21	1	21					24,57	
B317												
1	12	B500SP	6,19	4	1	4			24,76			
2	16	B500SP	6,54	6	1	6				39,24		
3	6	St3SX-b	1,17	40	1	40					46,80	
B318												
1	12	B500SP	2,79	4	1	4			11,16			
2	16	B500SP	5,38	6	1	6				32,28		
3	6	St3SX-b	1,17	22	1	22					25,74	
B319												
1	16	B500SP	7,95	8	1	8				63,60		
2	16	B500SP	9,22	6	1	6				55,32		
3	6	St3SX-b	1,41	50	1	50					70,50	
4	16	B500SP	3,22	3	1	3				9,66		
B320												
1	16	B500SP	4,09	4	1	4				16,36		
2	16	B500SP	4,44	4	1	4				17,76		
3	6	St3SX-b	1,41	18	1	18					25,38	
B321												
1	12	B500SP	2,29	4	1	4			9,16			
2	12	B500SP	2,55	4	1	4			10,20			
3	6	St3SX-b	1,17	11	1	11					12,87	
B322												
1	16	B500SP	12,00	4	1	4				48,00		
2	16	B500SP	12,00	4	1	4				48,00		
3	6	St3SX-b	1,41	50	1	50					70,50	
B323												
1	12	B500SP	2,19	4	4	16			35,04			
2	20	B500SP	4,41	4	4	16					70,56	
3	6	St3SX-b	1,05	19	4	76					79,80	
B324												
1	12	B500SP	2,19	8	1	8			17,52			
2	20	B500SP	4,41	8	1	8					35,28	
3	6	St3SX-b	1,17	19	1	19					22,23	
3	6	St3SX-b	1,41	15	1	15					21,15	
B326												
1	12	B500SP	2,79	4	1	4			11,16			
2	12	B500SP	2,92	4	1	4			11,68			
3	6	St3SX-b	1,01	12	1	12					12,12	
B327												
4	6	St3SX-b	2,65	32	1	32					84,80	
B328												
1	12	B500SP	1,33	4	1	4			5,32			
1	12	B500SP	9,45	4	1	4			37,80			
2	12	B500SP	1,60	4	1	4			6,40			
2	16	B500SP	9,19	6	1	6				55,14		
3	6	St3SX-b	0,91	7	1	7					6,37	
3	12	B500SP	9,19	4	1	4			36,76			
B329												
1	12	B500SP	3,07	4	1	4			12,28			
2	12	B500SP	3,33	4	1	4			13,32			
3	6	St3SX-b	0,91	15	1	15					13,65	
B330												
4	12	B500SP	3,14	4	1	4			12,56			
5	12	B500SP	3,40	4	1	4			13,60			
6	6	St3SX-b	0,91	15	1	15					13,65	
B401												
1	12	B500SP	3,19	4	3	12			38,28			
2	12	B500SP	3,19	4	3	12			38,28			
3	6	St3SX-b	1,41	16	3	48					67,68	
B402												
1	12	B500SP	9,19	6	1	6			55,14			
2	12	B500SP	9,45	6	1	6			56,70			
3	6	St3SX-b	1,41	49	1	49					69,09	
B403												
1	16	B500SP	9,19	6	1	6				55,14		
2	16	B500SP	9,45	6	1	6				56,70		
3	6	St3SX-b	1,41	49	1	49					69,09	
B404												
1	20	B500SP	12,00	4	1	4					48,00	
2	20	B500SP	5,45	4	1	4					21,80	
3	20	B500SP	12,00	4	1	4					48,00	
4	12	B500SP	12,00	6	1	6			72,00			
5	12	B500SP	4,06	6	1	6			24,36			
6	6	St3SX-b	3,16	43	1	43					135,88	
7	6	St3SX-b	2,66	11	1	11					29,26	
B405												
1	12	B500SP	2,79	4	1	4			11,16			
2	12	B500SP	3,05	4	1	4			12,20			
3	6	St3SX-b	1,41	14	1	14					19,74	
B406												
1	16	B500SP	6,19	6	1	6				37,14		
2	16	B500SP	6,54	6	1	6				39,24		
3	6	St3SX-b	1,41	33	1	33					46,53	

ZESTAWIENIE STALI

Nr pręta	Ø	Stal	Długość pręta	Liczba			Długość łączna						
				prętów na 1 poz.	pozycji	prętów łącznie	34GS Ø10	B500SP			Si3SX-b		
								Ø10	Ø12	Ø16	Ø20	Ø6	Ø8
	[-]	[mm]	[-]	[m]	[szt]						[m]		
B407													
1	20	B500SP	12,00	12	1	12					144,00		
2	6	Si3SX-b	1,38	49	1	49						67,62	
B408													
1	16	B500SP	6,97	6	1	6				41,82			
2	16	B500SP	9,97	6	1	6				59,82			
3	16	B500SP	6,21	6	1	6				37,26			
4	16	B500SP	9,21	6	1	6				55,26			
5	6	Si3SX-b	1,38	62	1	62						85,56	
B409													
1	12	B500SP	3,15	4	2	8			25,20				
2	12	B500SP	3,41	4	2	8			27,28				
3	6	Si3SX-b	1,41	12	2	24						33,84	
B410													
1	12	B500SP	5,48	12	1	12			65,76				
2	12	B500SP	12,00	6	1	6			72,00				
3	12	B500SP	11,88	20	1	20			237,60				
4	6	Si3SX-b	1,98	81	1	81						160,38	
B411													
1	12	B500SP	3,43	4	1	4			13,72				
2	12	B500SP	3,69	4	1	4			14,76				
3	6	Si3SX-b	1,41	17	1	17						23,97	
B412													
1	12	B500SP	3,07	8	1	8			24,56				
2	12	B500SP	3,33	4	1	4			13,32				
3	6	Si3SX-b	1,91	9	1	9						17,19	
B413													
1	12	B500SP	1,75	4	2	8			14,00				
2	12	B500SP	2,01	4	2	8			16,08				
3	6	Si3SX-b	0,91	8	2	16						14,56	
B414													
1	12	B500SP	6,49	6	1	6			38,94				
2	12	B500SP	6,75	6	1	6			40,50				
3	6	Si3SX-b	1,41	28	1	28						39,48	
B415													
1	12	B500SP	6,52	6	1	6			39,12				
1	12	B500SP	6,82	6	1	6			40,92				
2	12	B500SP	7,35	12	1	12			88,20				
3	6	Si3SX-b	1,41	53	1	53						74,73	
B416													
1	12	B500SP	8,34	6	1	6			50,04				
2	12	B500SP	7,99	6	1	6			47,94				
3	12	B500SP	6,87	12	1	12			82,44				
4	12	B500SP	6,22	12	1	12			74,64				
5	6	Si3SX-b	1,38	62	1	62						85,56	
PF101													
1	10	B500SP	11,44	7	1	7			80,08				
2	10	B500SP	12,00	124	1	124			1488,00				
3	10	B500SP	4,14	15	1	15			62,10				
4	10	B500SP	7,94	20	1	20			158,80				
5	10	B500SP	8,34	7	1	7			58,38				
6	10	B500SP	3,18	10	1	10			31,80				
7	10	B500SP	8,44	55	1	55			464,20				
8	10	B500SP	9,68	4	1	4			38,72				
9	10	B500SP	8,28	23	1	23			190,44				
10	10	B500SP	10,34	54	1	54			558,36				
11	10	B500SP	7,34	75	1	75			550,50				
12	10	B500SP	1,35	534	1	534			720,90				
PF102													
1	10	B500SP	2,46	40	1	40			98,40				
2	10	B500SP	3,56	28	1	28			99,68				
3	10	B500SP	2,06	64	1	64			131,84				
PS201													
1	10	B500SP	6,49	159	1	159			1031,91				
2	10	B500SP	7,73	56	1	56			432,88				
3	10	B500SP	6,49	10	1	10			64,90				
4	10	B500SP	2,45	12	1	12			29,40				
5	10	B500SP	9,79	56	1	56			548,24				
6	10	B500SP	2,39	14	1	14			33,46				
7	10	B500SP	1,83	14	1	14			25,62				
8	10	B500SP	5,69	20	1	20			113,80				
9	10	B500SP	6,79	184	1	184			1249,36				
10	10	B500SP	12,00	42	1	42			504,00				
11	10	B500SP	11,41	42	1	42			479,22				
12	10	B500SP	12,00	12	1	12			144,00				
13	10	B500SP	3,99	12	1	12			47,88				
14	10	B500SP	12,00	78	1	78			936,00				
15	10	B500SP	7,39	26	1	26			192,14				
16	10	B500SP	5,35	10	1	10			53,50				
17	10	B500SP	5,51	10	1	10			55,10				
18	10	B500SP	12,00	16	1	16			192,00				
19	10	B500SP	5,89	16	1	16			94,24				
20	10	B500SP	9,19	6	1	6			55,14				
21	10	B500SP	2,79	6	1	6			16,74				
22	10	B500SP	4,03	22	1	22			88,66				
23	10	B500SP	12,00	22	1	22			264,00				
24	10	B500SP	9,99	22	1	22			219,78				
25	10	B500SP	8,10	6	1	6			48,60				
26	10	B500SP	1,70	12	1	12			20,40				
27	10	34GS	1,78	12	1	12	21,36						
28	10	34GS	0,90	24	1	24	21,60						
29	10	B500SP	2,32	12	1	12			27,84				
30	10	34GS	2,16	12	1	12	25,92						
31	10	34GS	0,90	24	1	24	21,60						

ZESTAWIENIE STALI

Nr pręta	Ø	Stal	Długość pręta	Liczba			Długość łączna						
				prętów na 1 poz.	pozycji	prętów łącznie	34GS Ø10	B500SP				S13SX-b	
-	[mm]	-	[m]	[szt]			[m]						
PS301													
1	10	B500SP	6,19	18	1	18		111,42					
2	10	B500SP	6,19	137	1	137		848,03					
3	10	B500SP	4,09	52	1	52		212,68					
4	10	B500SP	7,09	19	1	19		134,71					
5	10	B500SP	6,09	145	1	145		883,05					
6	10	B500SP	5,19	19	1	19		98,61					
7	10	B500SP	3,19	17	1	17		54,23					
8	10	B500SP	9,49	100	1	100		949,00					
9	10	B500SP	8,00	23	1	23		184,00					
10	10	B500SP	5,14	19	1	19		97,66					
11	10	B500SP	6,79	81	1	81		549,99					
12	10	B500SP	8,14	19	1	19		154,66					
13	10	B500SP	6,79	99	1	99		672,21					
14	10	B500SP	7,09	24	1	24		170,16					
15	10	B500SP	2,79	44	1	44		122,76					
16	10	B500SP	12,00	23	1	23		276,00					
17	10	B500SP	4,00	23	1	23		92,00					
18	10	B500SP	12,00	45	1	45		540,00					
19	10	B500SP	10,80	45	1	45		486,00					
20	10	B500SP	12,00	45	1	45		540,00					
21	10	B500SP	12,00	27	1	27		324,00					
22	10	B500SP	12,00	27	1	27		324,00					
23	10	B500SP	12,00	27	1	27		324,00					
24	10	B500SP	7,40	27	1	27		199,80					
25	10	B500SP	12,00	15	1	15		180,00					
26	10	B500SP	12,00	15	1	15		180,00					
27	10	B500SP	12,00	15	1	15		180,00					
28	10	B500SP	10,00	15	1	15		150,00					
29	10	B500SP	8,40	27	1	27		226,80					
30	10	B500SP	12,00	27	1	27		324,00					
31	10	B500SP	9,19	14	1	14		128,66					
32	10	B500SP	3,49	48	1	48		167,52					
33	10	B500SP	4,00	40	1	40		160,00					
34	10	B500SP	12,00	40	1	40		480,00					
35	10	B500SP	8,10	8	1	8		64,80					
36	10	B500SP	6,46	13	1	13		83,98					
37	10	B500SP	10,36	40	1	40		414,40					
38	10	B500SP	8,85	62	1	62		548,70					
39	10	B500SP	12,00	46	1	46		552,00					
40	16	B500SP	6,65	93	1	93			618,45				
41	10	B500SP	8,12	32	1	32		259,84					
42	10	B500SP	8,81	14	1	14		123,34					
43	10	B500SP	9,45	15	1	15		141,75					
44	10	B500SP	3,46	13	1	13		44,98					
45	10	B500SP	8,27	16	1	16		132,32					
46	10	B500SP	8,85	77	1	77		681,45					
47	10	B500SP	12,00	77	1	77		924,00					
48	16	B500SP	8,02	153	1	153			1227,06				
49	10	B500SP	7,36	17	1	17		125,12					
50	10	B500SP	3,06	32	1	32		97,92					
51	10	B500SP	12,00	165	1	165		1980,00					
52	10	B500SP	4,60	17	1	17		78,20					
53	10	B500SP	11,75	90	1	90		1057,50					
54	10	B500SP	4,47	8	1	8		35,76					
55	10	B500SP	4,60	31	1	31		142,60					
56	10	B500SP	4,65	8	1	8		37,20					
57	10	B500SP	8,68	20	1	20		173,60					
58	10	B500SP	11,25	12	1	12		135,00					
59	10	B500SP	9,00	20	1	20		180,00					
60	10	B500SP	9,46	11	1	11		104,06					
61	10	B500SP	1,70	12	1	12		20,40					
62	10	B500SP	2,56	12	1	12		30,72					
63	10	B500SP	0,90	24	1	24		21,60					
64	10	B500SP	2,45	12	1	12		29,40					
64	10	B500SP	2,45	12	1	12		29,40					
65	10	B500SP	3,46	12	1	12		41,52					
66	10	B500SP	0,90	24	1	24		21,60					
PS302													
1	10	B500SP	6,49	81	1	81		525,69					
2	16	B500SP	6,45	28	1	28			180,60				
2	16	B500SP	6,49	50	1	50			324,50				
3	16	B500SP	4,72	60	1	60			283,20				
4	10	B500SP	6,79	53	1	53		359,87					
5	10	B500SP	3,82	28	1	28		106,96					
6	10	B500SP	7,99	43	1	43		343,57					
7	10	B500SP	5,02	28	1	28		140,56					
8	10	B500SP	0,52	25	1	25		13,00					
9	16	B500SP	12,00	31	1	31			372,00				
10	10	B500SP	8,99	43	1	43		386,57					
11	10	B500SP	6,76	61	1	61		412,36					
12	10	B500SP	7,75	41	1	41		317,75					
13	10	B500SP	8,05	40	1	40		322,00					
14	10	B500SP	12,00	33	1	33		396,00					
15	10	B500SP	10,09	33	1	33		332,97					
16	10	B500SP	8,26	34	1	34		280,84					
17	16	B500SP	3,00	38	1	38			114,00				
18	10	B500SP	1,38	335	1	335		462,30					
19	10	B500SP	2,10	12	1	12		25,20					
20	10	34GS	7,20	12	1	12	86,40						
21	10	34GS	0,90	24	1	24	21,60						
22	10	B500SP	3,30	12	1	12		39,60					
23	10	34GS	3,30	12	1	12	39,60						
24	10	34GS	0,90	24	1	24	21,60						
25	10	B500SP	8,10	5	1	5		40,50					

ZESTAWIENIE STALI

Nr pręta	Ø	Stal	Długość pręta	Liczba			Długość łączna						
				prętów na 1 poz.	pozycji	prętów łącznie	34GS Ø10	B500SP				S13SX-b	
-	[mm]	-	[m]		[szt]		Ø10	Ø12	Ø16	Ø20	Ø6	Ø8	
[m]													
PS303													
1	10	B500SP	1,69	74	1	74		125,06					
2	10	B500SP	5,47	9	1	9		49,23					
3	10	B500SP	6,47	9	1	9		58,23					
4	10	B500SP	1,96	74	1	74		145,04					
5	10	B500SP	6,22	8	1	8		49,76					
6	10	B500SP	7,09	9	1	9		63,81					
PS401													
1	10	B500SP	10,59	63	1	63		667,17					
2	10	B500SP	7,99	40	1	40		319,60					
3	10	B500SP	12,00	35	1	35		420,00					
4	10	B500SP	6,19	60	1	60		371,40					
5	10	B500SP	6,19	17	1	17		105,23					
6	10	B500SP	12,00	51	1	51		612,00					
7	10	B500SP	10,00	51	1	51		510,00					
8	10	B500SP	12,00	49	1	49		588,00					
9	10	B500SP	4,80	49	1	49		235,20					
10	10	B500SP	12,00	49	1	49		588,00					
11	10	B500SP	3,19	12	1	12		38,28					
12	10	B500SP	3,99	11	1	11		43,89					
13	10	B500SP	12,00	11	1	11		132,00					
14	10	B500SP	6,19	29	1	29		179,51					
15	10	B500SP	10,09	79	1	79		797,11					
16	10	B500SP	12,00	29	1	29		348,00					
17	10	B500SP	6,09	17	1	17		103,53					
18	10	B500SP	4,09	46	1	46		188,14					
19	10	B500SP	6,09	36	1	36		219,24					
20	10	B500SP	6,19	48	1	48		297,12					
21	10	B500SP	3,19	50	1	50		159,50					
22	10	B500SP	9,09	81	1	81		736,29					
23	10	B500SP	6,49	76	1	76		493,24					
24	10	B500SP	6,79	151	1	151		1025,29					
25	10	B500SP	8,00	19	1	19		152,00					
26	10	B500SP	5,14	27	1	27		138,78					
27	10	B500SP	6,79	61	1	61		414,19					
28	10	B500SP	6,49	19	1	19		123,31					
29	10	B500SP	8,14	14	1	14		113,96					
30	10	B500SP	8,10	8	1	8		64,80					
31	10	B500SP	6,46	15	1	15		96,90					
32	10	B500SP	10,36	40	1	40		414,40					
33	10	B500SP	12,00	46	1	46		552,00					
34	10	B500SP	8,15	62	1	62		505,30					
35	10	B500SP	11,45	31	1	31		354,95					
36	10	B500SP	7,22	13	1	13		93,86					
37	10	B500SP	10,35	77	1	77		796,95					
38	10	B500SP	9,40	32	1	32		300,80					
39	10	B500SP	7,50	29	1	29		217,50					
40	10	B500SP	8,75	77	1	77		673,75					
41	10	B500SP	8,05	76	1	76		611,80					
42	10	B500SP	6,46	17	1	17		109,82					
43	10	B500SP	12,00	17	1	17		204,00					
44	10	B500SP	10,60	17	1	17		180,20					
45	10	B500SP	12,00	94	1	94		1128,00					
46	10	B500SP	3,40	13	1	13		44,20					
47	10	B500SP	12,00	82	1	82		984,00					
48	10	B500SP	11,75	35	1	35		411,25					
49	10	B500SP	12,00	50	1	50		600,00					
50	10	B500SP	9,46	10	1	10		94,60					
51	10	B500SP	8,70	20	1	20		174,00					
52	10	B500SP	11,30	32	1	32		361,60					
53	10	B500SP	3,00	49	1	49		147,00					
54	10	B500SP	1,90	12	1	12		22,80					
55	10	B500SP	2,40	12	1	12		28,80					
56	10	B500SP	0,90	24	1	24		21,60					
57	10	B500SP	1,90	12	1	12		22,80					
58	10	B500SP	2,90	12	1	12		34,80					
59	10	B500SP	0,90	24	1	24		21,60					
60	10	B500SP	2,45	12	1	12		29,40					
61	10	B500SP	3,46	12	1	12		41,52					
62	10	B500SP	0,90	24	1	24		21,60					
63	10	B500SP	2,40	12	1	12		28,80					
64	10	B500SP	2,90	12	1	12		34,80					
65	10	B500SP	0,90	24	1	24		21,60					
66	10	B500SP	1,90	12	1	12		22,80					
67	10	B500SP	1,90	12	1	12		22,80					
68	10	B500SP	0,90	24	1	24		21,60					
S202													
2	8	S13SX-b	1,48	34	5	170						251,60	
3	12	B500SP	3,67	12	5	60			220,20				
4	12	B500SP	1,52	12	5	60			91,20				
S301A													
1	16	B500SP	4,21	6	2	12				50,52			
3	6	S13SX-b	0,86	19	2	38					32,68		
S301B													
1	16	B500SP	3,77	6	2	12				45,24			
3	6	S13SX-b	0,86	19	2	38					32,68		
S302A1													
2	16	B500SP	4,21	6	15	90				378,90			
5	6	S13SX-b	0,86	19	15	285					245,10		
S302A2													
2	16	B500SP	4,55	6	4	24				109,20			
5	6	S13SX-b	0,86	21	4	84					72,24		
S302B1													
1	16	B500SP	3,77	6	9	54				203,58			
3	6	S13SX-b	0,86	19	9	171					147,06		
S302B2													
1	16	B500SP	4,01	6	3	18				72,18			
3	6	S13SX-b	0,86	21	3	63					54,18		

Nr pręta	Ø	Stal	Długość pręta	Liczba			Długość łączna						
				prętów na 1 poz.	pozycji	prętów łącznie	34GS Ø10	Ø10	B500SP		Ø16	Ø20	Si3SX-b
[-]	[mm]	[-]	[m]	[szt]			[m]						
S302S1													
1	16	B500SP	2,54	6	18	108				274,32			
2	8	Si3SX-b	0,86	11	18	198							170,28
3	16	B500SP	3,67	6	18	108				396,36			
4	16	B500SP	1,50	6	18	108				162,00			
5	6	Si3SX-b	0,86	17	18	306						263,16	
S302S2													
1	16	B500SP	4,04	6	1	6				24,24			
2	8	Si3SX-b	0,86	24	1	24							20,64
3	16	B500SP	3,23	6	1	6				19,38			
4	16	B500SP	1,50	6	1	6				9,00			
5	6	Si3SX-b	0,86	17	1	17						14,62	
S303A													
1	12	B500SP	4,21	12	8	96			404,16				
3	8	Si3SX-b	1,48	38	8	304							449,92
S303B													
1	12	B500SP	3,78	12	4	48			181,44				
3	8	Si3SX-b	1,48	38	4	152							224,96
S303S													
1	12	B500SP	2,54	12	3	36			91,44				
2	8	Si3SX-b	1,48	22	3	66							97,88
S304													
1	12	B500SP	4,12	8	2	16			65,92				
3	6	Si3SX-b	1,38	18	2	36						49,68	
S304S													
1	12	B500SP	2,55	8	2	16			40,80				
2	8	Si3SX-b	1,38	11	2	22							30,36
S305													
1	16	B500SP	4,55	6	4	24				109,20			
3	6	Si3SX-b	0,86	20	4	80						68,80	
S306													
1	16	B500SP	4,55	6	1	6				27,30			
3	6	Si3SX-b	0,86	20	1	20						17,20	
S306S													
1	16	B500SP	2,54	6	1	6				15,24			
2	8	Si3SX-b	0,86	11	1	11							9,46
S307													
1	16	B500SP	4,11	6	2	12				49,32			
3	6	Si3SX-b	0,86	17	2	34						29,24	
S308													
1	12	B500SP	3,78	4	3	12			45,36				
3	6	Si3SX-b	0,86	19	3	57						49,02	
S309													
1	16	B500SP	4,21	6	4	24				101,04			
3	6	Si3SX-b	0,86	18	4	72						61,92	
S309S													
1	16	B500SP	2,54	6	1	6				15,24			
2	8	Si3SX-b	0,86	11	1	11							9,46
S310													
1	16	B500SP	2,33	4	2	8				18,64			
3	6	Si3SX-b	0,86	13	2	26						22,36	
S310S													
1	16	B500SP	2,54	4	2	8				20,32			
2	8	Si3SX-b	0,90	11	2	22							19,80
S311S													
1	12	B500SP	2,55	8	1	8			20,40				
2	8	Si3SX-b	1,40	11	1	11							15,40
S401													
1	16	B500SP	3,78	6	7	42				158,76			
3	6	Si3SX-b	0,86	19	7	133						114,38	
S401A													
1	16	B500SP	3,44	6	2	12				41,28			
3	6	Si3SX-b	0,86	18	2	36						30,96	
S402													
1	16	B500SP	3,78	6	10	60				226,80			
3	6	Si3SX-b	0,86	19	10	190						163,40	
S402A													
1	16	B500SP	3,44	6	1	6				20,64			
3	6	Si3SX-b	0,86	18	1	18						15,48	
S403													
1	12	B500SP	3,79	12	7	84			318,36				
3	8	Si3SX-b	1,48	38	7	266							393,68
S403A													
1	12	B500SP	3,79	12	1	12			45,48				
3	8	Si3SX-b	1,48	34	1	34							50,32
S404													
1	16	B500SP	3,78	4	17	68				257,04			
3	6	Si3SX-b	0,86	19	17	323						277,78	
S404A													
1	16	B500SP	3,44	4	1	4				13,76			
3	6	Si3SX-b	0,86	18	1	18						15,48	
S405													
1	16	B500SP	3,78	8	5	40				151,20			
3	6	Si3SX-b	0,86	19	5	95						81,70	
S406													
1	16	B500SP	3,78	8	1	8				30,24			
3	6	Si3SX-b	0,86	19	1	19						16,34	
S406A													
1	16	B500SP	3,44	8	1	8				27,52			
3	6	Si3SX-b	0,86	18	1	18						15,48	
S407													
1	16	B500SP	3,94	8	4	32				126,08			
3	6	Si3SX-b	0,86	19	4	76						65,36	
S408													
1	16	B500SP	2,03	4	5	20				40,60			
3	6	Si3SX-b	0,86	12	5	60						51,60	
S501													
1	12	B500SP	1,49	4	40	160			238,40				
3	6	Si3SX-b	0,86	10	40	400						344,00	
SC101													
1	10	B500SP	2,07	116	1	116		240,12					
2	10	B500SP	2,07	28	1	28		57,96					
3	10	B500SP	0,95	56	1	56		53,20					
4	10	B500SP	2,99	28	1	28		83,72					

ZESTAWIENIE STALI

Nr pręta	Ø	Stal	Długość pręta	Liczba			34GS Ø10	Długość łączna				Si3SX-b	
				prętów na 1 poz.	pozycji	prętów łącznie		B500SP	Ø12	Ø16	Ø20	Ø6	Ø8
-	[mm]	-	[m]	[szt]			[m]						
SCH-01													
1	12	B500SP	5,22	13	1	13			67,86				
2	12	B500SP	2,45	13	1	13			31,85				
3	12	B500SP	2,65	13	1	13			34,45				
4	12	B500SP	4,14	13	1	13			53,82				
5	12	B500SP	2,06	13	1	13			26,78				
6	12	B500SP	4,90	13	1	13			63,70				
7	12	B500SP	1,75	13	1	13			22,75				
8	12	B500SP	2,32	13	1	13			30,16				
9	12	B500SP	2,21	13	1	13			28,73				
10	12	B500SP	1,97	4	1	4			7,88				
11	12	B500SP	2,32	4	1	4			9,28				
12	6	Si3SX-b	1,26	11	1	11					13,86		
13	6	Si3SX-b	0,82	100	1	100					82,00		
14	6	Si3SX-b	1,46	87	1	87					127,02		
SCH-02													
1	12	B500SP	3,45	10	1	10			34,50				
2	12	B500SP	3,42	10	1	10			34,20				
3	12	B500SP	3,95	10	1	10			39,50				
4	12	B500SP	4,41	10	1	10			44,10				
5	12	B500SP	2,15	10	1	10			21,50				
6	12	B500SP	0,87	10	1	10			8,70				
7	12	B500SP	1,64	10	1	10			16,40				
8	12	B500SP	1,41	10	1	10			14,10				
9	6	Si3SX-b	1,20	81	1	81					97,20		
SCH-03													
1	12	B500SP	3,99	12	1	12			47,88				
2	12	B500SP	2,32	12	1	12			27,84				
3	12	B500SP	2,46	12	1	12			29,52				
4	6	Si3SX-b	1,36	180	1	180					244,80		
4	12	B500SP	1,48	12	1	12			17,76				
5	12	B500SP	2,78	12	1	12			33,36				
6	12	B500SP	1,60	12	1	12			19,20				
7	12	B500SP	1,66	12	1	12			19,92				
8	12	B500SP	1,54	12	1	12			18,48				
9	12	B500SP	2,74	12	1	12			32,88				
10	12	B500SP	1,79	12	1	12			21,48				
11	12	B500SP	5,91	12	1	12			70,92				
12	12	B500SP	1,83	12	1	12			21,96				
13	12	B500SP	1,56	12	1	12			18,72				
14	12	B500SP	2,44	12	1	12			29,28				
SF101													
1	12	B500SP	1,62	4	4	16			25,92				
2	12	B500SP	1,32	6	4	24			31,68				
3	16	B500SP	2,71	6	4	24				65,04			
4	8	Si3SX-b	0,86	10	4	40						34,40	
SF101(H9)													
1	12	B500SP	1,62	4	1	4			6,48				
2	12	B500SP	1,32	6	1	6			7,92				
3	12	B500SP	2,71	12	1	12			32,52				
4.1	8	Si3SX-b	1,48	10	1	10						14,80	
4.2	8	Si3SX-b	1,48	10	1	10						14,80	
SF102													
1	12	B500SP	1,92	7	3	21			40,32				
2	12	B500SP	1,92	7	3	21			40,32				
3	16	B500SP	2,71	6	3	18				48,78			
4	8	Si3SX-b	0,86	10	3	30						25,80	
SF103													
1	12	B500SP	1,92	7	3	21			40,32				
2	12	B500SP	1,92	7	3	21			40,32				
3	16	B500SP	3,71	6	3	18				66,78			
4	8	Si3SX-b	0,86	18	3	54						46,44	
SF104													
1	12	B500SP	1,92	4	3	12			23,04				
2	12	B500SP	1,32	7	3	21			27,72				
3	16	B500SP	2,71	12	3	36				97,56			
4.1	8	Si3SX-b	1,48	10	3	30						44,40	
W201													
1	12	B500SP	196,24	4	1	4			784,96				
2	6	Si3SX-b	0,88	748	1	748					658,24		
W301													
1	12	B500SP	178,29	4	1	4			713,16				
2	6	Si3SX-b	0,88	680	1	680					598,40		
W401													
1	12	B500SP	183,86	4	1	4			735,44				
2	6	Si3SX-b	0,88	701	1	701					616,88		
W501													
1	12	B500SP	221,97	4	1	4			887,88				
2	6	Si3SX-b	0,86	846	1	846					727,56		
ŁF101													
1	12	B500SP	366,87	4	1	4			1467,48				
2	12	B500SP	366,87	4	1	4			1467,48				
3	6	Si3SX-b	1,80	2796	1	2796					5032,80		
ŁF101S													
1	12	B500SP	2,42	32	3	96			232,32				
3	6	Si3SX-b	1,80	18	3	54					97,20		
ŁF102													
1	12	B500SP	12,92	3	1	3			38,76				
2	12	B500SP	12,92	3	1	3			38,76				
3	6	Si3SX-b	1,38	49	1	49					67,62		
ŁF103													
1	12	B500SP	4,52	2	1	2			9,04				
2	12	B500SP	4,52	2	1	2			9,04				
3	6	Si3SX-b	1,38	17	1	17					23,46		
Razem długość prętów						[mb]	259,68	55610,97	11715,44	8045,47	367,64	13340,19	
Masa jednostkowa						[kg/mb]	0,617	0,617	0,888	1,578	2,466	0,222	
Masa prętów dla danej średnicy						[kg]	160,2	34312,0	10403,3	12695,8	906,6	2961,5	
Masa łącznie						[kg]				62199,5		1924,20	

UWAGA : Sumaryczna długość prętów jest długością rzeczywistą w osi pręta metodą B wg PN-EN ISO 3766:2006.